

NUTRI-JECT® SUPREME

TREE TECH® MICROINJECTION SYSTEM FOR MACRONUTRIENT AND MICRONUTRIENT APPLICATION IN TREES AND WOODY ORNAMENTAL PLANTS

CONTENTS

100 microinjection units each containing 12 mL of liquid
fertilizer formulation

GUARANTEED ANALYSIS

<u>Element</u>	<u>Percentage</u>
Total Nitrogen (N)	0.60
Available Phosphate (as P ₂ O ₅)	0.80
Soluble Potash (K ₂ O)	0.70
Calcium (Ca)	0.10
Manganese(Mn)	0.10
Copper (Cu)	0.10
Iron (Fe)	0.01
Magnesium (Mg)	0.01
Zinc (Zn)	0.10

GENERAL DIRECTIONS

Applying NUTRI-JECT SUPREME with Tree Tech Microinjection Units:

NUTRI-JECT SUPREME label and microinjection instructions must be read and understood prior to use or installation of Tree Tech microinjection units. Failure to follow these directions may lead to mechanical or phytotoxic damage to treated trees. The following instructions must be heeded to ensure safe and effective use of the microinjection units containing NUTRI-JECT SUPREME fertilizer:

1. Protective eyewear should be worn while handling or installing the microinjection unit to prevent accidental contact with the eyes.
2. When properly installed, the microinjection unit generates internal pressure resulting in the flow of NUTRI-JECT SUPREME solution through the dispenser tube. The microinjection unit must never be activated unless installed correctly and securely in the tree to be treated.

3. Microinjection units containing NUTRI-JECT SUPREME may require up to several minutes or more to empty depending on the health of the treated tree and local weather conditions. Never assume that microinjection units have depressurized completely because they appear nearly empty or empty. When removing microinjection units, individuals should wear proper eye protection. The individual should then cover the microinjection unit with one hand near the point of insertion into the stem while grasping the barrel end of the microinjection unit with the other hand. The microinjection unit should be turned slightly as it is slowly withdrawn from the tree. Careful removal of microinjection units should prevent accidental spillage of fertilizer.

4. After microinjection units are removed from treated trees they should be discarded into the heavy-duty plastic disposal bag included in each case of microinjection units. The bag should be properly sealed and placed in the original carton. Sealed cartons should be returned freight prepaid to Tree Tech Microinjection Systems, 950 SE 215th Ave, Morriston, Florida, 32668 for disposal.

Installing Microinjection Units:

1. Determine the number of microinjection units to be installed based upon the health and vigor of the plant to be treated. Microinjection units should be installed every 6 inches of stem circumference. Unless otherwise noted, microinjection units should be installed in the stem and root flares near the ground line, i.e., 6.0-to-8.0 inches (15-to-20 cm) from the soil surface.
2. Using a portable electric drill (600-800 rpm capacity is preferred) with a sharp, clean 11/64-in. (0.4 cm) bit, the installer should drill a hole at the correct stem circumference spacing to a depth of 3/8-to-1/2 in. (0.6-to-1.3 cm) into the wood (xylem) under the bark. A slight downwardly angle is recommended for more complete drainage of the microinjection unit.
3. After reaching the proper depth range, the drill bit should be withdrawn carefully to avoid dislodging bark fragments around the exterior opening of the hole. The microinjection unit is inserted into the hole. The plunger portion is compressed without engaging the locking

mechanism and barrel segments. Placing the plastic installation cap over the plunger end, strike the cap with a plastic hammer to seat the microinjection unit firmly in the hole. If the microinjection unit is not properly positioned in the hole, strike the cap again until correctly seated. By striking the microinjection unit, the back end of the feeder tip is forced back into the funnel-shaped section dislodging a septum, which allows the NUTRI-JECT SUPREME fertilizer to flow from the microinjection unit into the tree.

4. When the microinjection unit is positioned correctly in the tree and the internal septum is dislodged to permit the flow of NUTRI-JECT SUPREME, remove the cap and, if necessary, push the plunger portion of the unit further downward until it is flush with the edge of the barrel. This engages the locking mechanism, which pressurizes the microinjection unit and assists in the evacuation of NUTRI-JECT SUPREME fertilizer from the microinjection unit and movement into the vascular system of the tree.

5. Each hole should be drilled and a microinjection unit installed without delay. After the unit is properly seated, it should be activated. This sequence minimizes the flow of tree sap or resin into the hole prior to NUTRI-JECT SUPREME microinjection.

STORAGE AND DISPOSAL STORAGE

Store microinjection units in a cool, dry place. Do not expose to temperatures below 32°F (0°C). Protect from excessive heat.

MICROINJECTION UNIT DISPOSAL

Do not reuse microinjection units. Used microinjection units should be placed in the heavy-duty plastic bag, which accompanies each case of microinjection units. The bag should be properly sealed, placed into the original shipping carton and returned freight prepaid for disposal to Tree Tech Microinjection Systems, 950 SE 215th Ave, Morriston, FL 32668.

IMPORTANT INFORMATION READ BEFORE USING PRODUCT

LIMITED WARRANTY.

1. Tree Tech Microinjection Systems warrants that this product conforms to the description on the label and is reasonably fit for uses under average conditions when used strictly in accordance with the directions on the labeling. Tree Tech Microinjection Systems does not make nor authorize any agent or representative to make any other warranty, guarantee or representation, express or implied, concerning this product. Specifically, NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE IS MADE.

2. Critical and unforeseeable factors beyond the control of Tree Tech Microinjection Systems prevent it from eliminating all risks in connection with the use of this product. Such risks include, but are not limited to, damage to plants to which the product is applied, lack of complete control over the handling and application of this product, and damage caused to plants or crops. Such risks occur even though the product is reasonably fit under average conditions for the uses stated on the labeling and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Tree Tech Microinjection Systems under 1. above) resulting from handling, storage and use of this product.

3. Precautions stated on the labeling should be followed. Neither Tree Tech Microinjection Systems nor its employees or distributors will be liable for any damages resulting from improper use of the microinjection units.

Florida Silvics, Inc
(dba Tree Tech® Microinjection Systems)
950 SE 215th Ave
Morriston FL 32668

NUTRI-JECT and **Tree Tech** are Registered Trademarks of Florida Silvics, Inc.
Made In U.S.A.